

Homeopathy Efficacy of Ruta Graveolens in Brain Cancer & Leukemia

C.Health

Tue, Sep-06-05, 06:27

This study from the International Journal of Oncology shows how the homeopathic remedy **Ruta 6 used in conjunction with CalPhos 3x was useful in the regression of tumors in glioma patients**. After getting permission from an oncologist in Boston, I am working with a patient who was given only 2 weeks to 2 months to live, and is now making a remarkable recovery using this protocol. His doctor has also allowed the use of antioxidants which was originally contraindicated, as well as foods high in antioxidants. I advised him to discontinue the supplements 24 hours before and continue the supplements 48 hours after chemotherapy. Before using alternative methods, his tumor was still growing while getting chemotherapy and radiation. His speech, motor skills, and energy level have all improved.

<http://147.52.72.117/IJO/2003/volume23/number4/975.pdf>

Ruta 6 selectively induces cell death in brain cancer cells but proliferation in normal peripheral blood lymphocytes: A novel treatment for human brain cancer

Sen Pathak, Asha S. Multani, Pratip Banerji and Prasanta Banerji

Departments of 1Cancer Biology [S.P., A.S.M.] and
2Laboratory Medicine

[S.P.], The University of Texas M.D. Anderson Cancer Center, Houston, TX 77030, USA; 3PBH Research Foundation, 10/3/1 Elgin Road, Kolkata 700 020, West Bengal, India [Pratip B, Prasanta B]. Correspondence to: Professor S. Pathak, Department of Molecular Genetics, Box 011, M.D. Anderson Cancer Center, 1515 Holcombe Boulevard, Houston, TX 77030, USA E-mail: pathak_sen@yahoo.com. Received April 16, 2003; Accepted May 28, 2003.

Although conventional chemotherapies are used to treat patients with malignancies, damage to normal cells is problematic. Blood-forming bone marrow cells are the most adversely affected. It is therefore necessary to find alternative agents that can kill cancer cells but have minimal effects on normal cells. We investigated the brain cancer cell-killing activity of a homeopathic medicine, Ruta, isolated from a plant, Ruta graveolens. We treated human brain cancer and HL-60 leukemia cells, normal B-lymphoid cells, and

murine melanoma cells in vitro with different concentrations of Ruta in combination with $\text{Ca}_3(\text{PO}_4)_2$. Fifteen patients diagnosed with intracranial tumors were treated with Ruta 6 and $\text{Ca}_3(\text{PO}_4)_2$. Of these 15 patients, 6 of the 7 glioma patients showed complete regression of tumors. Normal human blood lymphocytes, B-lymphoid cells, and brain cancer cells treated with Ruta in vitro were examined for telomere dynamics, mitotic catastrophe, and apoptosis to understand the possible mechanism of cell-killing, using conventional and molecular cytogenetic techniques. Both in vivo and in vitro results showed induction of survival-signaling pathways in normal lymphocytes and induction of death-signaling pathways in brain cancer cells. Cancer cell death was initiated by telomere erosion and completed through mitotic catastrophe events. We propose that Ruta in combination with $\text{Ca}_3(\text{PO}_4)_2$ could be used for effective treatment of brain cancers, particularly glioma.

http://www.brainlife.org/abstract/pathak_s200310.htm

- Posted by [Debby Bruck](#) on September 15, 2010 at 3:39pm in [Homeospecifics: One Remedy for One Disease](#)
- [View Discussions](#)

Thank you to [Dr Nisanth Nambison](#) for sending me this link



A NEW METHOD FOR TREATING CANCER

Drs Banerji admits that their protocol for treating cancer patients is NOT classical homeopathy. He believes that with today's diagnostic techniques and medical protocols the use of tissue specific remedies can promote healing. He calls it a NEW method using specific medicines for specific diseases.

As we have studied in the Radio Show, we take a patient case using the 'observable' presenting symptoms. Thus, we can listen to what they say about personal sensations, locations and qualities of discomforts, pains and growths, and hear what others have to say about behavior and reactions of a person. With the use of diagnostic MRI, X-rays, CT scans and the like, a physician can gather more detailed information about what may be hidden within the patient.

We have discussed how to interpret this information once it is gathered. Dr Banerji's Foundation utilizes this information to prescribe specific targeting remedies and through documentation and statistics has determined which remedies are most likely to initiate cure.

The graphs on their pages illustrate the high proportion of patients who completely improve, somewhat improve, discontinue treatment, regress or die of their cancer disease.

THE FUTURE

As knowledge of these protocols proliferate, we hope more testing in the major world hospitals will initiate clinical trials with human subjects as a first line treatment to strengthen the vital force and perhaps eliminate the need for surgery, chemotherapy or radiation.

I would like to learn how the foundation approaches individuals who have already undergone traditional western cancer treatment and their recommendations for palliation and all stages of the disease.

JOURNAL OF ONCOLOGY

International Journal of Oncology. 2003 Oct;23(4):975-82.

Ruta 6 selectively induces cell death in brain cancer cells but proliferation in normal peripheral blood lymphocytes: A novel treatment for human brain cancer.

Pathak S, Multani AS, Banerji P, [Banerji P.](#)

Department of Molecular Genetics, M.D. Anderson Cancer Center, Houston, TX 77030, USA. pathak_sen@yahoo.com

ABSTRACT

Although conventional chemotherapies are used to treat patients with malignancies, damage to normal cells is problematic. Blood-forming bone marrow cells are the most adversely affected. It is therefore necessary to find alternative agents that can kill cancer cells but have minimal effects on normal cells.

We investigated the brain cancer cell-killing activity of a homeopathic medicine, Ruta, isolated from a plant, *Ruta graveolens*. We treated human brain cancer and HL-60 leukemia cells, normal B-lymphoid cells, and murine melanoma cells in vitro with different concentrations of Ruta in combination with $\text{Ca}_3(\text{PO}_4)_2$.

Fifteen patients diagnosed with intracranial tumors were treated with Ruta 6 and $\text{Ca}_3(\text{PO}_4)_2$. Of these 15 patients, 6 of the 7 glioma patients showed complete regression of tumors.

Normal human blood lymphocytes, B-lymphoid cells, and brain cancer cells treated with Ruta in vitro were examined for telomere dynamics, mitotic catastrophe, and apoptosis to understand the possible mechanism of cell-killing, using conventional and molecular cytogenetic techniques.

Both in vivo and in vitro results showed induction of survival-signaling pathways in normal lymphocytes and induction of death-signaling pathways in brain cancer cells. Cancer cell death was initiated by telomere erosion and completed through mitotic catastrophe events. We propose that Ruta in combination with $\text{Ca}_3(\text{PO}_4)_2$ could be used for effective treatment of brain cancers, particularly glioma.

[PMID: 12963976 \[PubMed - indexed for MEDLINE\]](#)

Learn more about The Banerji Protocol | The Prasanta Banerji Homeopathic Research Foundation [PBHRF] was set up in the year 1992. It is the only homeopathic research foundation in

India, accredited by the Department of Scientific and Industrial Research (DSIR), Govt. of India.

Well known homeopaths Dr Prasanta Banerji, Founder & Managing Trustee and Dr Pratip Banerji, Co Founder & Dy. Managing Trustee are the principal doctors of the foundation.

The foundation was set up inculcating the vision of Dr Prasanta Banerji to establish homeopathy as a scientific and verifiable system of alternative medicine accepted and integrated in modern day health care.

The PBHRF has now become a center for path breaking treatment for acute as well as chronic diseases by the use of "The Banerji Protocol" of

treatment using homeopathic medicines.

COLLABORATION

The Banerji foundation continues to collaborate with the top cancer medical facilities in the world, including Columbia University and University of Texas